VOLUME 53 · AUTHOR INDEX

C = Correspondence L = Leader MA = Matters arising R = Review

AARAN R-K, 51
ABBAL M, 735
ABDUL-WAHAB R, 178
ACCARDO S, 331, 550 (C)
ADACHI Y, 151 (C)
af GEIJERSTAM E, 574
AHO K, 51
AIDA S, 247
AKAGI S, 587
ALARCÓN-SEGOVIA D, 755
ALCOCER-VARELA J, 755
ALEXANDER CJ, 720
ALFTHAN G, 51
ALHAVA E, 18
ALSALAMEH S, 229
ALTOMONTE L, 699
ANAYA J-M, 425 (C), 782 (MA)
ANDRADE F, 755
ANDRES MP, 211 (C)
AOTSUKA S, 247
AOYAGI T, 45, 80 (C), 601
APPELBOOM T, 481 (C)
ARAFAT QW, 421
ARCHER CW, 624 (R)
ARITA S, 587
ARNTZ OJ, 593
AROMAA A, 51
ARVIDSON NG, 521
AWERBUCH M, 285 (MA)
AXFORD J, 703 (C)
AXFORD JS, 429, 553 (L)
AXTENS RSK, 703 (C)
AYAD S, 488 (R)

BACON PA, 621 (L)
BAHENA S, 755
BALEVA M, 841 (MA)
BALLAS ZK, 280 (C)
BAÑARES A, 211 (C)
BANKOWSKA UZ, 54
BARNES L, 450
BAROZZI L, 783 (C)
BARRERA P, 434 (R), 479 (C)
BAYLISS MT, 35
BEHMANN SA, 304
BELL JM, 396
BELLUCCI S, 776
BELMONTE I, 614
BELZUNEGUI J, 614
BENITEZ J, 211 (C)
BENOIT J, 701 (C)
BERNSTEIN RM, 188, 298
BERTOLATUS JA, 280 (C)
BEYELER CH, 475
BHALLA AK, 681
BHALLA R, 64
BIJLSMA JWJ, 224
BILGIE A, 425 (C)
BILLINGHAM MEJ, 653
BITTLEMAN DB, 280 (C)
BIZZI M, 699
BLACK D, 298
BLAKE DR, 72 (R), 197, 240, 529
BODE-BÖGER SM, 547
BOERBOOMS AMT, 608
BOERBOOMS AMTH, 434 (R), 479 (C)
BÖGER RH, 547
BOMBARDIERI S, 637
BONSIB SM, 280 (C)
BORG AA, 391
BRABYN J, 685
BRAMMAH TB, 349 (C)
BRANDON DR, 653
BRAUN J, 100
BREEDVELD FC, 803, 807
BRENCHLEY PEC, 763
BRESNIHAN B, 39
BROWN D, 283 (MA)
BROWN DL, 780 (MA)
BROWN SL, 213 (MA)
BRUCKNER FE, 749
BRYCKAERT M, 776
BUCKLAND-WRIGHT JC, 268 (R)
BUCKNALL RC, 256, 515
BUITENHUIS NA, 803
BUJIA J, 229
BURMESTER GR, 229, 798
BURNEY RO, 58
BUTTGEREIT F, 798

CALIN A, 58, 425 (C)
ÇALISKAN K, 351 (C)
CALLIGARO A, 140
CAMBRIDGE G, 24
CAMPBELL AK, 446
CAMPION G, 840 (MA)
CAMPION GV, 485 (L)
CANCIO J, 614
CANDIDO A, 699
CAPELL HA, 54, 812
CAPORALI R, 331
CARDON T, 648
CARLSTEN H, 377
CARRERE F, 781 (MA)
CARRIOU R, 776
CARTHY D, 137
CASSAR-PULLICINO VN, 344
CASSIM B, 759
CASSIMAN J-J, 580
CASTELL M, 461
CASTELLOTE C, 461
CAWLEY MID, 327
CAWSTON TE, 30, 359, 367
CERVERA R, 265
CHAOUAT D, 82 (MA)
CHAPMAN B, 467
CHARD MD, 30, 359, 367
CHEUNG NT, 768
CHEVAILLER A, 781 (MA)
CHIHARA J, 151 (C)
CHRISTOFOROV B, 334
CID M-C, 265
CIMMINO MA, 331
ÇIMSIT G, 351 (C)
CITERA G, 425 (C)
CLEMENTS D, 149 (C)
COATES ARM, 197
COBBY MJ, 561
COELHO PC, 212 (C)
COGGON D, 90, 220
COHEN DE, 191
COLEMAN JW, 256
COLSTON MJ, 197
COMER M, 557
COMPSTON JE, 149 (C), 163
CONSTANT CR, 359, 367
COOPER AM, 149 (C), 440, 446
COOPER C, 90, 220
COOPER RG, 188
CORBETT M, 24
CORRIGALL V, 150 (C)
COSTELLO C, 147, 619 (MA)
COUPES B, 763
CREED F, 298
CREMONA A, 543
CROCKARD HA, 134, 284 (MA)
CROFT P, 357 (L), 525
CROUCHER PI, 163
CRUWYS SC, 240
CUADRADO E, 614
CUENCA MS, 478 (C)
CUMMING RG, 356 (MA)
CUNNANE G, 840 (MA)
CUTOLO M, 550 (C)

DAHLBERG L, 823
DANIELS M, 112
DAVIES AM, 421, 714
DAVIES EG, 429
DAVIES EJ, 61, 188, 261

DAVIES EV, 446
DAVIS MJ, 685
DAWES PT, 250, 391, 768
de ABREU RA, 608
de GRAAF R, 608
de GROOT PHG, 355 (MA)
de JUAN MD, 614
de SANDRE G, 341
DEBLOIS P, 334
DEENADAYALU VK, 759
DEGER O, 351 (C)
DEIGHTON C, 833
DEIGHTON CM, 787 (L)
DEKHUIJZEN PNR, 434 (R)
DELCAMBRE B, 648
DELGADO AJ, 478 (C)
DENBURG JA, 304
DENSEN P, 280 (C)
DENTON A, 117
DEODHAR AA, 685, 841 (C)
DEQUEKER J, 356 (MA)
DERKSEN RHWM, 355 (MA)
DESBONNET A, 648
DHARMAVARAM RM, 789 (R)
DIEPPE P, 90, 467, 612, 695
DIJKMANS BAC, 400
DISTLER A, 100
DOHERTY M, 1 (L), 215 (L), 675
DONN RP, 61, 188, 261
DONNELLY S, 117
DORIA A, 140, 619 (MA)
DOUGHTY RA, 471
DOYLE DV, 117, 158, 565
DUQUESNOY B, 648
DUREZ P, 481 (C)

EAMES P, 478 (C)
EASTELL R, 14
EDGAR JDM, 619 (MA)
EDWARDS JCW, 35, 729
EDWARDS SW, 515
EGGENS U, 100
EGGER P, 90, 220
EGUCHI K, 45, 601, 816
EISEN AZ, 836
ELFMAN L, 521
ELIAS E, 202
ELLING H, 780 (MA)
ELLING P, 780 (MA)
ELLISON DW, 327
ELSNER P, 403
ELVINS D, 681
EMERY P, 14, 202
ENOMOTO H, 128
ESPARZA J, 265
ESPINOZA LR, 425 (C), 782 (MA)
EVANS C, 149 (C)
EVANS E, 250
EVANS N, 714
EVANS WD, 149 (C)

FARAHAT MNMR, 315
FAVARO L, 783 (C)
FAWCETT PT, 471
FEDERMANN M, 403
FEIGHERY C, 39
FERRI S, 783 (C)
FIEHN C, 843 (C)
FIGUEROA M, 614
FITZGERALD O, 450, 840 (MA)
FITZSIMONS E, 167
FLIPO R-M, 648
FLOQUET J, 82 (MA)
FONT J, 265
FONTENAY M, 776
FOULET A, 648
FOURNIÉ B, 735
FRANCH A, 461
FRANSSEN CFM, 213 (MA)
FREEMONT AJ, 323, 349 (C)
FRISONI M, 783 (C)
FRITZLER MJ, 841 (MA)
FRÖLICH JC, 547
FURR PM, 183
FURUICHI I, 80 (C)

GABAY CEM, 282 (MA)
GALLAGHER PJ, 327
GAMBARI PF, 140, 619 (MA)
GARCÍA A, 755
GARCIA-ZAMALLOA AM, 618 (C)
GARDINER P, 482 (MA)
GARDNER-MEDWIN J, 619 (MA)
GARDNER-MEDWIN JMM, 711, 828
GARRAHAN NJ, 163
GARRETT NE, 240
GARRIDO A, 618 (C)
GAUCHER A, 82 (MA)
GEDDES JF, 284 (MA)
GEDDES R, 383
GEIRSSON AJ, 502
GELLERT K, 798
GEORGE E, 427 (C)
GERBER NJ, 475
GEURSEN A, 171
GEUSENS P, 580
GHIRARDELLO A, 140, 619 (MA)
GIBBON WW, 344
GIBNEY K, 471
GIBSON K, 58
GILL MD, 550 (C)
GILLET P, 82 (MA)
GILTAY EJ, 194
GIRBAL E, 735
GOHCHI K, 352 (C)
GOMÉS-DAUDRIX V, 735
GOMES JAM, 212 (C)
GONI J, 618 (C)
GONZALEZ-BENEITEZ C, 618 (C)
GONZÁLEZ-DOMINGUEZ J, 618 (C)
GOODMAN TR, 497
GOTOH M, 352 (C)
GOUGH AKS, 14
GRAETZ G, 403
GRANADOS J, 755
GRANFORS K, 535
GRANT ME, 488 (R)
GRARDEL B, 648
GRENNAN DM, 61, 188
GRESHAM GA, 30
GROB D, 403
GROMO G, 197
GROSS M, 353 (C)
GRUBER BL, 191
GU XX, 580
GUDBJÖRNSSON B, 521, 574
GUDMUNDSSON S, 502
GUILLEVIN L, 334
GUSH RJ, 212 (C)
GUSTAFSSON R, 574
GUTIÉRREZ MA, 425 (C)
GUTZKI F-M, 547

HACHULLA E, 648
HAENEY M, 323
HAJEER AH, 137
HALL GM, 112
HALLETT MB, 446
HÄLLGREN R, 521, 574, 691
HAMILTON E, 338
HAMMOND MG, 759
HANNA VE, 282 (MA)
HANNONEN P, 106
HARA M, 506
HARRALL RL, 359, 367
HART D, 220
HART DJ, 158, 565
HART FD, 83 (MA)
HASLOCK I, 355 (MA)
HASSAN WU, 511
HAWK JLM, 705 (L)
HAY EM, 188, 298, 357 (L)
HAY FC, 749
HAYCOCK JW, 396
HAZES JMW, 293, 803, 807
HAZLEMAN B, 283 (MA)
HAZLEMAN BL, 30, 150 (C), 359, 367, 780 (MA)
HEANEY M, 540
HEAP P, 467
HEESEMANN J, 535
HEGARTY J, 840 (MA)
HEINEGÅRD D, 823

HEINEGÅRD DK, 8
HELIÖVAARA M, 51
HELLIWELL PS, 726
HENDERSON EB, 529
HENDERSON F, 134
HENDERSON FC, 284 (MA)
HENDERSON KJ, 729
HERMANS J, 400
HERRICK A, 763
HERRICK AL, 212 (C), 323, 349 (C), 540
HESLOP P, 833
HIDAKA T, 506
HIEPE F, 798
HILL ER, 213 (MA)
HILLARBY MC, 61, 188
HIRAKAWA S, 842 (C)
HIRSCH NP, 134
HOCHBERG MC, 143 (R)
HOERRNER LA, 823
HOLDER RL, 14
HOLLAND CD, 511
HOLLIS S, 540
HOLT PJL, 188
HOLT PL, 261
HONKANEN R, 18
HOORNTJE SJ, 213 (MA)
HOPKINSON ND, 675
HOPKINSON NP, 619 (MA)
HOUSTON T, 167
HOUVENAGEL E, 648
HOWARD RS, 134
HUBSCHER S, 202
HUDDY A, 298
HUGHES RA, 147, 619 (MA)
HUITEMA MG, 235
HUNSTEIN W, 843 (C)
HUNTER J, 812
HUREZ D, 781 (MA)
HURLEY MV, 355 (MA)
HUSKISSON EC, 112
HUTCHINGS CJ, 188
HUTTON C, 85(L)

IBAÑEZ-DE-KASEP G, 755
IBBERSON M, 341
IDA H, 45, 601
IGARASHI T, 350 (C)
ILLINGWORTH K, 763
INGELMO M, 265
ISENBERG DA, 67, 749
ISHIGATSUBO Y, 350 (C)
ISHIZUKA T, 506
ISLIM IF, 550 (C)
IWASAKI K, 128

JACKSON S, 726
JAKOVLIEV P, 841 (MA)
JALAL H, 695
JANIN A, 648
JANSSEN M, 400
JAYSON MIV, 212 (C), 323, 349 (C), 540, 763
JENKINS EA, 327
JIMENEZ SA, 789 (R)
JONES AC, 478 (C)
JONES PW, 685
JOOSTEN LAB, 455
JOUZEAU JY, 82 (MA)
JOVER JA, 211 (C)
JURADO R, 618 (C)

KALLENERG CGM, 235
KANGASPUNTA P, 836
KARLSSON-PARRA A, 691
KASHIWAZAKI S, 480 (C)
KASSIMOS D, 427 (C)
KATOH K, 426 (C)
KATSUMATA Y, 350 (C)
KAUFMAN LD, 191
KAUPPILA LI, 94
KAVANAUGH A, 551 (C)
KAVANAUGH AF, 281 (C)
KAWABE Y, 45, 601
KAWAGOE M, 506
KAWAGUCHI Y, 506
KAWAI T, 426 (C)
KEANEY NP, 511
KEAT ACS, 147, 619 (MA)
KELLY C, 482 (MA)
KELLY CA, 511
KENDALL BE, 134
KENNEDY LG, 58, 425 (C)
KEOGAN M, 283 (MA)
KEOGAN MT, 780 (MA)
KERSTENS PJSM, 608
KESSARIS N, 749
KIDD BL, 240
KINDELÁN JM, 618 (C)
KINGSLEY G, 287 (L)
KIRWAN JR, 427 (C)
KITAS GD, 621 (L)
KLINEBERG RJ, 356 (MA)
KLIPPEL JH, 785 (L)
KLIPPLE GL, 122
KNEKT P, 51
KOHEM CL, 281 (C)
KOJI T, 45
KONTTINEN YT, 836
KRISTIANSEN SV, 281 (C)
KRÖGER H, 18
KRUIZE A., 224
KUMARARATNE DS, 543
KÜNZEL K, 98

LAAN RFJM, 434 (R), 479 (C)
LACKI JK, 480 (C)
LADERO JM, 211 (C)
LAHESMAA R, 535
LAITKO S, 100
LAMBOOY LHJ, 608
LAMERS BHW, 400
LARK MW, 823
LAWAND NB, 309
LAYCOCK CA, 256
LE PARC JM, 701 (C)
LEAKER B, 24
LEBBE C, 475
LENNOX HOLT PJ, 298
LEONI F, 197
LESZCZYNSKI P, 480 (C)
LEVALLOIS D, 334
LEVER AML, 749
LHOTE F, 334
LIGTHART GJ, 807
LILLEY J, 14
LIM K, 619 (MA)
LIM KL, 178, 711, 743
LIMBURG PC, 235
LINDY O, 836
LINTON C, 695
LIOTÉ F, 671, 776
LITTLEJOHN GO, 703 (C)
LOHMANDER LS, 8, 823
LÓPEZ-SOTO A, 265
LOWE J, 178
LUK KDK, 206
LUNARDI C, 341
LUUKKAINEN R, 106

McALINDON T, 90
McCLOSKEY EV, 117
McDONAGH J, 833
MacDONALD AG, 54
McGRATH H, 396
MacGREGOR AJ, 137, 293
McHUGH NJ, 666
McINNES I, 812
McMAHON MJ, 482 (MA)
McNALLY E, 497
MADHOK R, 631
MAEDA K, 80 (C)
MAGARÓ M, 699
MAHMOUD A, 681
MÄKI-IKOLA O, 535
MAKINO H, 842 (C)
MALAMOU-MITSI V, 569
MAPP PI, 240
MARCUSON R, 323
MARTIN K, 429
MASCAGNI P, 197
MASSON C, 781 (MA)
MATSUDA J, 352 (C)
MATSUMOTO T, 128, 151 (C)

MATTEY DL, 250, 391
MATTSSON A, 574
MAVES KK, 280 (C)
MBAYA P, 298
MEACOCK SCR, 653
MELÍN-ALDANA H, 755
MEMIS O, 351 (C)
MENON N, 631
MERILAHTI-PALO R, 535
MEURMAN O, 106
MEYER O, 282 (MA)
MILLAR M, 695
MINAMI M, 426 (C)
MINAMIKAWA Y, 587
MIRONE L, 699
MIYAKE S, 816
MIYASAKA N, 480 (C)
MIZUMOTO M, 151 (C)
MODREGO PJ, 478 (C)
MODY GM, 759
MOENS HJB, 194
MOGGIANA G, 331
MONTEAGUDO I, 150 (C)
MONTEAGUDO J, 265
MONTECUCCO C, 331
MOORE M, 167
MOORE TL, 282 (MA)
MOOTOOSAMY I, 158
MOOTS RJ, 202
MORADO C, 211 (C)
MORAND EF, 703 (C)
MORELL B, 403
MORENO RS, 478 (C)
MORI Y, 587
MORRIS CJ, 72 (R), 197
MORRIS R, 72 (R)
MÖTTÖNEN T, 106
MOUTSOPOULOS HM, 569, 637
MOWAT A, 338
MUIR K, 743
MURAKAMI K, 842 (C)
MURPHY EA, 54

NAGAKE Y, 842 (C)
NAGATAKI S, 45, 601, 816
NAKAJIMA S, 151 (C)
NAKAMURA H, 506
NAKANE PK, 45
NAKASHIMA M, 45, 601
NAUMANN A, 229
NAVARRO M, 265
NELSON PN, 749
NESHER G, 282 (MA)
NETTELBLADT O, 574
NICOLL J, 543
NIELD GH, 67
NIEUWENHUIS HK, 355 (MA)
NIKKARI S, 106
NIKOLOV K, 841 (MA)
NILSSON B, 691
NILSSON UR, 691
NISHIMURA H, 587
NIVED O, 659
NIXON NB, 391
NOBILLOT R, 701 (C)
NORTH J, 543
NUKI G, 543
NUÑEZ-ROLDÁN A, 781 (MA)

O'BYRNE A-M, 840 (MA)
OGAWA R, 587
OHNO S, 350 (C)
OJEDA E, 618 (C)
OKAMURA A, 426 (C)
OKAWA-TAKATSUJI M, 247
OKUBO T, 350 (C), 426 (C)
OLIVIERI I, 783 (C)
OLLIER W, 261
OLLIER WER, 61, 137, 188
OLSSON AT, 780 (MA
O'NEILL T, 525
O'NEILL TW, 773
OOGARAH P, 349 (C)
OOGARAH PK, 323
O'REILLY MAR, 276
ÖREM A, 351 (C)

OSBORN TG, 282 (MA)
OSTERLAND CK, 671
O'SULLIVAN MM, 149 (C), 163
OTA Z, 842 (C)

PALMER R, 681
PANAYI G, 287 (L)
PANAYI GS, 150 (C), 283 (MA), 315
PAOLAGGI JB, 82 (MA), 701 (C)
PAPANIKOLAOU N, 569
PAPANIKOLAOU S, 569
PAVLICA P, 783 (C)
PEEL NFA, 14
PEGLEY F, 529
PEH WCG, 206
PENTTILÄ A, 94
PERE P, 82 (MA)
PEZZUTTO A, 843 (C)
PHELAN MJI, 256
PHILIPPAERTS L, 580
PIERRO A, 783 (C)
PIETTE J-C, 355 (MA)
PILE KD, 58
PITT P, 338
PITZALIS C, 287 (L)
POLAK JM, 240
POOLE AR, 3 (L)
POPE D, 525
PORTER D, 167
PORTER DR, 812
POSTON RN, 315
POUNTAIN G, 150 (C), 283 (MA)
POUNTAIN GD, 780 (MA)
POURRAT J, 334
POWELL RJ, 178, 619 (MA), 675, 711, 743, 828
POWIS SH, 58
PRIEUR A-M, 282 (MA)
PRITZKER KPH, 406 (R)

RAGNO S, 197
RAKOTOARIVONY J, 735
RALSTON SH, 54
RANKIN ECC, 67
RAUS J, 580
REBOUL P, 781 (MA)
REES DHE, 553 (L)
REEVE J, 773
REICHEN J, 475
REID DM, 773
RENIER G, 781 (MA)
REVERTER JC, 265
RIBERI P, 781 (MA)
RICERCA BM, 699
RICHARDS NP, 619 (MA)
RIGBY AS, 137
RIGOLI AM, 140
RILEY AH, 194
RILEY GP, 30, 359, 367
RING F, 681
RISOLD JC, 284 (MA)
RISTE LK, 293
ROBERTS-THOMSON PJ, 383
ROBINSON JJ, 515
ROGERS J, 612
ROGERS S, 450
ROLDAN R, 618 (C)
ROLFE I, 117
ROONEY PJ, 284 (MA)
ROOS H, 823
ROSE CD, 471
ROSENFELD K, 281 (C)
ROSLER D, 782 (MA)
ROSSI F, 334
RUFFATTI A, 140
RYDÉN A-C, 521

SAARIKOSKI S, 18
SAARIO R, 535
SAITO I, 480 (C)
SAITOH N, 352 (C)
SAJKIEWICZ K, 798
SAKAI M, 45, 601
SAKANE T, 350 (C)
SALMON M, 202
SANCHEZ-ROMAN J, 781 (MA)
SANTOS RA, 212 (C)

SAUVAGET F, 334
SAXENA R, 659
SAXNE T, 8, 823
SCOPELITIS E, 425 (C)
SCOTT DL, 557
SEBBAG M, 735
SEGERBERG M, 836
SEIBOLD JR, 191, 289 (L)
SELVE N, 547
SEQUEIRA W, 64
SERIOLO B, 550 (C)
SERRE G, 735
SEWARD H, 467
SFIKAKIS PP, 122
SHAW DG, 276
SHENSTONE BD, 681
SHIMADA H, 45, 601
SHIMOJI K, 247
SIEPER J, 100
SIGURDSSON V, 502
SILMAN A, 525
SILMAN AJ, 137, 293, 773
SILVEIRA LH, 425 (C)
SIMON M, 735
SINGSEN BH, 471
SINNOTT PJ, 58
SITTINGER M, 229
SITUNAYAKE D, 550 (C)
SITUNAYAKE RD, 543
SJÖLIN-FORSBERG G, 69
SKINNER MA, 171
SKOPOULI FN, 569
SKURNIK M, 106
SLUKA KA, 309
SMITH CR, 24
SMITH EC, 529
SMITH NJ, 828
SMITH RW, 327
SNOWDEN N, 763
SO AK, 341
SOBIESKA M, 480 (C)
SOLLERMAN C, 377
SORIANO E, 666
SORSA T, 836
SPAEPEN M, 580
SPECTOR T, 220
SPECTOR TD, 112, 117, 143 (R), 158, 565
SPRONK PE, 235
STEINSSON K, 502
STEVENS JM, 134
STICHTENOTH DO, 547
STILLER M, 191
STODELL MA, 281 (C)
STOLK JN, 608
STOREY GO, 557
STORTI S, 699
STURFELT G, 659
STURROCK R, 167
SUBRA JF, 781 (MA)
SUGANO H, 587
SUGINO Y, 587
SUZUKI H, 426 (C)
SUZUKI K, 506
SWAN A, 467
SWINSON DR, 482 (MA)

TAKAGI M, 836
TAN PLJ, 171
TAN RG, 194
TANAKA S, 350 (C)
TANI K, 426 (C)
TARKOWSKI A, 377
TAYLOR CR, 705 (L)
TAYLOR DJ, 768
TAYLOR-ROBINSON D, 183
ten WOLDE S, 400
ter BORG EJ, 235
TER MAATEN JC, 213 (MA)
TESAR J, 122
THEOCHARIS S, 122
THOMAS JT, 488 (R)
THOMSON G, 787 (L), 833
THOMSON W, 261
TIETZ H-J, 798
TIKLY M, 543
TOBELEM G, 776
TODA Y, 587
TODD C, 773
TOIVANEN A, 535
TOIVANEN P, 106
TOMENSON B, 298
TOMINAGA Y, 816
TORRE-CISNEROS J, 618 (C)
TÖTTERMAN TH, 521, 574
TREHARNE J, 100
TRÉPO C, 334
TROLLMO C, 377
TSCHESCHE H, 836
TSIKAS D, 547
TSOKOS GC, 122
TSUKAMOTO M, 352 (C)
TSUKAZAKI T, 128
TULLY M, 212 (C)
TUTUNCU ZN, 425 (C)
TYRRELL PNM, 714

UEDA A, 350 (C)
UEKI Y, 601, 816
UEMURA T, 480 (C)
URBANO-MÁRQUEZ A, 265

VAN BEUNINGEN HM, 593
VAN DE PUTTE LBA, 434 (R), 479 (C), 608
VAN DEN BERG WB, 455, 593
VAN DEN BRANDE KJS, 807
VAN DER HEIDE A, 224
VAN DER KRAAN PM, 455, 593
VAN DER VEEN MJ, 224
VAN DUIJN W, 400
VAN EDE AE, 479 (C)
VAN EDEN W, 708 (L)
VAN RIEL PLCM, 434 (R), 479 (C)
VAN SCHAARDENBURG D, 807
VAN ZEBEN D, 803
VANDENBROUCKE JP, 803
VANDEVYVER C, 580
VARADO J, 614
VARGAS-ALARCÓN G, 755
VARLOW J, 773
VARMA AA, 191
VEALE DJ, 450
VEDI S, 163
VENEGAS JP, 478 (C)
VERSCHURE PJ, 455
VESCO P, 140
VIDAL S, 614
VILLANUEVA JL, 618 (C)
VINCENT C, 735
VISCHER TL, 708 (L)
VITALI C, 637
VLIET VLIELAND TPM, 803
VON THIESSEN R, 403
VULCHEVA T, 841 (MA)

WAKELEY CJ, 561
WALKER D, 833
WALSH DA, 240
WARDLE EN, 840 (MA)
WATSON F, 515
WATSON L, 171
WATSON RDS, 550 (C)
WEBSTER ADB, 183
WECHSLER B, 355 (MA)
WEILER JM, 280 (C)
WENDLING D, 284 (MA)
WESTHOVENS R, 356 (MA)
WESTLUND KN, 309
WHELAN A, 39
WHISTON RJ, 446
WHITE PG, 440
WHYTE J, 666
WICHMANN I, 781 (MA)
WIESLANDER J, 659
WIKTOROWICZ K, 480 (C)
WILKINSON LS, 35
WILLIAMS BD, 446
WILLIAMS M, 24
WILLIAMS R, 338
WILMES E, 229
WILSON VK, 282 (MA)
WINROW VR, 197
WINYARD PG, 72 (R)

WOODWARD R, 681
WOOLF AD, 685, 773, 841 (C)
WORDSWORTH BP, 58
WORDSWORTH P, 153 (L)
WORRALL JG, 35, 729
WU P, 100
WÜTHRICH B, 403
WYSS M, 403

XU H, 383

YAMAMOTO T, 151 (C)
YAMASHITA I, 45, 601
YAMASHITA S, 128
YANNI G, 39, 315
YOKOHARI R, 247

ZEMINIAN S, 341
ZOLI A, 699
ZONCA M, 525

VOLUME 53 · SUBJECT INDEX

Acute phase reactants, Interleukin-6, acute phase reactants and clinical status in ankylosing spondylitis: *correspondence*, **425**

Acute phase response, Antibodies to intermediate filaments in polymyalgia rheumatica/giant cell arteritis: do they reflect the underlying disease activity rather than the acute phase response? *correspondence*, **150**

Adhesion molecules

Adhesion molecules in rheumatoid arthritis: role in the pathogenesis and prospects for therapy: *leader*, **287**

Augmented expression of inflammatory cytokines and adhesion molecules in accelerated nodulosis during methotrexate therapy: *correspondence*, **480**

Adjuvant arthritis

Arthritis in Lewis rats induced by the non-immunogenic adjuvant CP20961: an immunohistochemical analysis of the developing disease, **653**

Blood lymphocyte subsets in rats with adjuvant arthritis, **461**

Increased urinary nitrate excretion in rats with adjuvant arthritis, **547**

Aggrecan, Cartilage metabolism in the injured and uninjured knee of the same patient, **823**

AIDS, *Isospora belli* reactive arthritis in a patient with AIDS: *correspondence*, **618**

Airflow obstruction, Bronchial reactivity and airflow obstruction in rheumatoid arthritis, **511**

Alpha 1-acid glycoprotein, Microheterogeneity of alpha 1-acid glycoprotein in patients with rheumatoid arthritis treated with methotrexate: *correspondence*, **480**

AMPD1 gene, New method for detection of C34-T mutation in the AMPD1 gene causing myoadenylate deaminase deficiency: *correspondence*, **353**

Amyloidosis, Remission of nephrotic syndrome in a patient with renal amyloidosis associated with Takayasu's arteritis after treatment with dimethylsulphoxide: *correspondence*, **842**

Anaemia

Abnormal haem biosynthesis in the chronic anaemia of rheumatoid arthritis, **167**

Serum transferrin receptors in rheumatoid arthritis, **699**

Angiography, Postmortem angiographic study of degenerative vascular changes in arteries supplying the cervicobrachial region, **94**

Ankylosing spondylitis

Analysis of the MHC class II encoded components of the HLA class I antigen processing pathway in ankylosing spondylitis, **58**

Bone mineral density and vertebral compression fracture rates in ankylosing spondylitis, **117**

Enthesitis of the ligamentum teres during ankylosing spondylitis: histopathological report: *matters arising*, **82**

Interleukin-6, acute phase reactants and clinical status in ankylosing spondylitis: *correspondence*, **425**

Microcirculation in ankylosing spondylitis: *matters arising*, **284**

Neurological disturbances in ankylosing spondylitis, **714**

Pseudoarthrosis in ankylosing spondylitis, **206**

Annals of the Rheumatic Diseases, The *Annals* editorial activity and performance for 1993, **633**

Antibiotics, Infection rate and use of antibiotics in patients with rheumatoid arthritis treated with methotrexate, **224**

Antibodies, Anticardiolipin, anticentromere and anti-Scl-70 antibodies in patients with systemic sclerosis and severe digital ischaemia, **540**

Antibodies to nuclear antigens, Antibodies to nuclear antigens in three patients with scleroderma and asthma: *matters arising*, **841**

Anticardiolipin antibody(ies)

Absence of an association between antibodies to retroviral proteins and anticardiolipin antibody and/or lupus anticoagulant in systemic lupus erythematosus: *correspondence*, **352**

Nervous system involvement in association with vasculitis and anticardiolipin antibodies in a patient with systemic sclerosis: *correspondence*, **349**

Superficial migratory thrombophlebitis in a patient with reversible protein C deficiency and anticardiolipin antibodies: *correspondence*, **843**

Anti-chromo antibodies, Frequency and clinical associations of anti-chromo antibodies in connective tissue disease, **666**

Anticoagulant treatment, Long term anticoagulant treatment in the antiphospholipid syndrome: *matters arising*, **355**

Anti-entactin antibodies, Significance of anti-entactin antibodies in patients with systemic lupus erythematosus and related disorders, **659**

Antikeratin antibodies, Immunoblotting detection of so-called 'antikeratin antibodies': a new assay for the diagnosis of rheumatoid arthritis, **735**

Anti-laminin antibodies, Anti-laminin autoantibodies in collagen vascular diseases: the use of adequate controls in studies of autoimmune responses to laminin, **191**

Anti-myeloperoxidase antibodies, Anti-myeloperoxidase antibodies in patients with rheumatoid arthritis: prevalence, clinical correlates, and IgG subclass, **24**

Antinuclear antibodies, Hypersensitivity to molybdenum as a possible trigger of ANA-negative systemic lupus erythematosus, **403**

Antioxidants, Serum antioxidants and risk of rheumatoid arthritis, **51**

Antiperinuclear antibodies, Antiperinuclear and anti-RA33 antibodies in juvenile chronic arthritis: *matters arising*, **282**

Antiphospholipid antibodies, Antiphospholipid antibodies (aPL) in systemic lupus erythematosus. Are they specific tools for the diagnosis of aPL syndrome? **140**: *matters arising*, **619**

Antiphospholipid syndrome, Long term anticoagulant treatment in the antiphospholipid syndrome: *matters arising*, **355**

Anti-RA33 antibodies, Antiperinuclear and anti-RA33 antibodies in juvenile chronic arthritis: *matters arising*, **282**

Anti-ribonucleoprotein antibodies, HLA antigens in Japanese patients with high titre anti-ribonucleoprotein antibodies: *correspondence*, **426**

Aplastic anaemia, G-CSF in gold-induced aplastic anaemia: *matters arising*, **213**

Arboreal primates, Utilisation of joint movement range in arboreal primates compared with human subjects: an evolutionary frame for primary osteoarthritis, **720**

Arteritis temporalis, The Cambridge dilemma: *matters arising*, **780**

Arthritis, Arthritis associated with hidradenitis suppurativa, **64**

Articular cartilage

In vivo protection against interleukin-1-induced articular cartilage damage by transforming growth factor-β1: age-related differences, **593**

Responsiveness of articular cartilage from normal and inflamed mouse knee joints to various growth factors, **455**

Skeletal development and osteoarthritis: *review*, **624**

Articular chondrocytes, Effects of interleukin-1β on insulin-like growth factor-I autocrine/paracrine axis in cultured rat articular chondrocytes, **128**

***Aspergillus* infection,** Persistent pulmonary lesion in a patient with rheumatoid arthritis: *lesson of the month*, **798**

Asthma, Antibodies to nuclear antigens in three patients with scleroderma and asthma: *matters arising*, **841**

Autonomic neuropathy, Autonomic neuropathy in systemic lupus erythematosus: cardiovascular autonomic function assessment, **671**

Azathioprine, Purine enzymes in rheumatoid arthritis: possible association with response to azathioprine, **608**

Behçet's disease

Antibodies to endothelial cells in Behçet's disease: cell-binding heterogeneity and association with clinical activity, **265**

Central nervous system toxicity related to FK506 in patients with Behçet's disease: *correspondence*, **350**

Clinical experience with thalidomide in the management of severe oral and genital ulceration in conditions such as Behçet's disease: use of neurophysiological studies to detect thalidomide neuropathy, **828**

High lipoprotein (a) levels as a thrombogenic risk factor in Behçet's disease: *correspondence*, **351**

Successful treatment of right atrial thrombus in a patient with Behçet's disease: *correspondence*, **550**

Bence-Jones protein, Bence-Jones protein and vertebral osteoporosis: *matters arising*, **619**

Black Americans, Rheumatoid arthritis in black Americans: *matters arising*, **782**

Black-Caribbeans, Low prevalence of rheumatoid arthritis in Black-Caribbeans compared with Whites in inner city Manchester, **293**

Black South Africans, Gout in black South Africans: a clinical and genetic study, **759**

Bone destruction, Rheumatoid-susceptible alleles of HLA-DRB1 are genetically recessive to non-susceptible alleles in the progression of bone destruction in the wrists and fingers of patients with RA, **587**

Bone loss, Excretion of pyridinium crosslinks correlates with disease activity and appendicular bone loss in early rheumatoid arthritis, **14**

Bone mineral content
Interleukin 1 beta, hand and foot bone mineral content and the development of joint erosions in rheumatoid arthritis, **543**
Measurement of hand bone mineral content by dual energy x-ray absorptiometry: development of the method, and its application in normal volunteers and in patients with rheumatoid arthritis, **685**

Bone mineral density
Bone mineral density and vertebral compression fracture rates in ankylosing spondylitis, **117**
Bone mineral density in nonsteroid treated early rheumatoid arthritis, **681**
Decreased axial bone mineral density in perimenopausal women with rheumatoid arthritis - a population based study, **18**
Long term follow up of spinal trabecular bone mineral density in women with non-steroid treated rheumatoid arthritis: *correspondence*, **149**

Bone turnover, Bone turnover in non-steroid treated rheumatoid arthritis, **163**

Book reviews
Bach J-F, *editor.* Monoclonal antibodies and peptide therapy in autoimmune diseases (Immunology Series 59), **292**
Bland JH. Disorders of the cervical spine: diagnosis and medical management, 1994, **801**
Campbell G, Compston J, Crisp A. The management of common metabolic bone disorders, 1993, **802**
Favus MJ, *editor:* Primer on the metabolic bone diseases and disorders of mineral metabolism, **157**
Grishman E, Churg J, Needle MA, Venkataseshan VS, *editors.* The kidney in collagen-vascular diseases, **292**
Kelley WN *et al*, *editors*: Textbook of rheumatology, **89**
Khamashta MA, Font J, Hughes GRV, *editors.* Autoimmune connective tissue diseases, 1993, **802**
Lapiere C, Krieg T, *editors.* Connective tissue diseases in the skin, 1993, **635**
Lewis AJ, Furst DE, *editors.* Non-steroidal anti-inflammatory drugs. Mechanisms and clinical uses, 2nd edition, 1993, **719**
Salisbury JR, Wards CG, Byers PD, *editors.* Diseases of bone and joints. Cell biology, mechanisms, pathology, 1993, **719**
Silman AJ, Hochberg MC. Epidemiology of the rheumatic diseases, 1993, **802**
Simmen BR, Hagena FW, *editors*: The wrist in rheumatoid arthritis, **89**
Sledge CB *et al.* Arthritis surgery, 1994, **635**
Soren A. Arthritis and related affections, 1993, **635**
Wallace DJ, Hahn BH, *editors*: Dubois' lupus erythematosus, 4th ed., **157**

Brainstem vasculopathy, Cerebellum and brainstem vasculopathy in systemic lupus erythematosus, **327**

Breast protheses, Silicone breast protheses and rheumatic symptoms: a retrospective follow up study, **194**

Bronchial reactivity, Bronchial reactivity and airflow obstruction in rheumatoid arthritis, **511**

Bronchiectasis, The relationship between rheumatoid arthritis and bronchiectasis: *matters arising*, **482**

Bronchoalveolar lavage, Phenotypic and functional activation of alveolar macrophages, T lymphocytes and NK cells in patients with systemic sclerosis and primary Sjögren's syndrome, **574**

C2 deficiency, Recurrent infections, pericarditis and renal disease in a patient with total C2 deficiency and decreased NK cell function consistent with acute rheumatic fever and systemic lupus erythematosus: *correspondence*, **280**

C3 dysfunction, Reconstitution of the alternative pathway of complement by plasma infusions given to a patient with an SLE-like syndrome associated with a hereditary C3 dysfunction, **691**

C34-T mutation, New method for detection of C34-T mutation in the AMPD1 gene causing myoadenylate deaminase deficiency: *correspondence*, **353**

Calcitonin, Calcitonin inhibits production of immunoglobulins, rheumatoid factor and interleukin-1 by mononuclear cells from patients with rheumatoid arthritis, **247**

Calcium2+, Altered Ca2+ signalling in human neutrophils from inflammatory sites, **446**

Calcium phosphate crystals, Submicroscopic crystals in osteoarthritic synovial fluids, **467**

Cardiac autonomic function, Autonomic neuropathy in systemic lupus erythematosus: cardiovascular autonomic function assessment, **671**

Cartilage
Cartilage collagens: strategies for the study of their organisation and expression in the extracellular matrix: *review*, **488**
Cartilage metabolism in the injured and uninjured knee of the same patient, **823**

Cartilage graft resorption, Humoral immune response against minor collagens type IX and XI in patients with cartilage graft resorption after reconstructive surgery, **229**

Cartilage oligomeric matrix protein, Release of cartilage oligomeric matrix protein (COMP) into joint fluid after knee injury and in osteoarthritis, **8**

Case reports, What value case reports? *leader*, **1**

Case series, Predicting outcome in current clinic attenders: a biased view: *leader*, **357**

Cauda equina syndrome, Neurological disturbances in ankylosing spondylitis, **714**

CD4, Changes in levels of soluble T-cell activation markers, sIL-2R, sCD4 and sCD8, in relation to disease exacerbations in patients with systemic lupus erythematosus, **235**

CD5 B lymphocytes, Low molecular weight IgM and CD5B lymphocytes in rheumatoid arthritis, **383**

CD8, Changes in levels of soluble T-cell activation markers, sIL-2R, sCD4 and sCD8, in relation to disease exacerbations in patients with systemic lupus erythematosus, **235**

CD8 T cell subset, The Cambridge dilemma: *matters arising*, **780**

CD8+ cells, Circulating T cell subtypes in polymyalgia rheumatica and giant cell arteritis: variation in the percentage of CD8+ cells with prednisolone treatment: *matters arising*, **283**

CD8S6F1 cells, Increment of CD8S6F1 cells in synovial fluid from patients with rheumatoid arthritis, **816**

CD44, Expression of CD44 in normal and rheumatoid synovium and culture synovial fibroblasts, **729**

Central nervous system, Central nervous system toxicity related to FK506 in patients with Behçet's disease: *correspondence*, **350**

Cerebellum vasculopathy, Cerebellum and brainstem vasculopathy in systemic lupus erythematosus, **327**

Cervical neuropathology, Cervical neuropathology in rheumatoid arthritis: *matters arising*, **284**

Cervicobrachial region, Postmortem angiographic study of degenerative vascular changes in arteries supplying the cervicobrachial region, **94**

Chlamydia pneumoniae, *Chlamydia pneumoniae* - a new causative agent of reactive arthritis and undifferentiated oligoarthritis, **100**

Chondrocytes, Effects of interleukin-1β on insulin-like growth factor-I autocrine/paracrine axis in cultured rat articular chondrocytes, **128**

Chondroitin sulphate, Zonal distribution of chondroitin-4-sulphate/dermatan sulphate and chondroitin-6-sulphate in normal and diseased synovium, **35**

Chronic arthritis, Chronic arthritis before 1876: early British cases suggesting rheumatoid arthritis, **557**

Circadian rhythm, Circadian rhythm of serum interleukin-6 in rheumatoid arthritis, **521**

***cis*-urocanic acid,** Fluorescent light activates the immunomodulator *cis*-urocanic acid in vitro: implications for patients with systemic lupus erythematosus, **396**

Clinic attenders, Predicting outcome in current clinic attenders: a biased view: *leader*, **357**

Cognitive function, A prospective study of psychiatric disorder and cognitive function in systemic lupus erythematosus, **298**

Collagen
Cartilage collagens: strategies for the study of their organisation and expression in the extracellular matrix: *review*, **488**
Humoral immune response against minor collagens type IX and XI in patients with cartilage graft resorption after reconstructive surgery, **229**
Tendon degeneration and chronic shoulder pain: changes in the collagen composition of the human rotator cuff tendons in rotator cuff tendinitis, **359**

Collagen vascular diseases, Anti-laminin autoantibodies in collagen vascular diseases: the use of adequate controls in studies of autoimmune responses to laminin, **191**

Collagenase, Collagenase in Sjögren's syndrome, **836**

Colles' fracture, Age and sex influences on fall characteristics, **773**

COMP fragments, Cartilage metabolism in the injured and uninjured knee of the same patient, **823**

Connective tissue disease, Frequency and clinical associations of anti-chromo antibodies in connective tissue disease, **666**

Craniovertebral junction, Respiratory abnormalities due to craniovertebral junction compression in rheumatoid disease, **134**

Critical tissue ischaemia, Critical tissue ischaemia in scleroderma: a note of caution: *leader*, **289**

Cross-sectional surveys, Predicting outcome in current clinic attenders: a biased view: *leader*, **357**

Cytokeratins, Increased IgA antibodies to cytokeratins in the spondyloarthropathies, **391**

Cytokines
Augmented expression of inflammatory cytokines and adhesion molecules in accelerated nodulosis during methotrexate therapy: *correspondence*, **480**
Intramuscular gold decreases cytokine expression and macrophage numbers in the rheumatoid synovial membrane, **315**
The effects of Tenidap on cytokine induced proliferation of human synovial fibroblasts in vitro, **250**
The prospect for cytokine based therapeutic strategies in rheumatoid arthritis: *leader*, **485**: *matters arising*, **840**

Dactylitis, Dactylitis also involving the synovial sheaths in the palm of the hand: *correspondence*, **783**
Debrisoquine, Debrisoquine oxidation polymorphism in patients with rheumatoid arthritis: *correspondence*, **211**
Deflazacort, Long term treatment of polymyalgia rheumatica with deflazacort, **331**
Degenerative changes, Postmortem angiographic study of degenerative vascular changes in arteries supplying the cervicobrachial region, **94**
Digital ischaemia, Anticardiolipin, anticentromere and anti-Scl-70 antibodies in patients with systemic sclerosis and severe digital ischaemia, **540**
Dimethylsulphoxide, Remission of nephrotic syndrome in a patient with renal amyloidosis associated with Takayasu's arteritis after treatment with dimethylsulphoxide: *correspondence*, **842**
Disability, Musculoskeletal disorders and disability in persons aged 85 and over, **807**
DNA, Absence of *Mycobacterium tuberculosis* DNA in synovial fluid from patients with rheumatoid arthritis, **695**
Dorsal rhizotomy, Joint inflammation is reduced by dorsal rhizotomy and not by sympathectomy or spinal cord transection, **309**
DR1/4 restricted peptides, Lymphocyte responses to DR1/4 restricted peptides in rheumatoid arthritis, **171**
Dual energy x-ray absorptiometry, Measurement of hand bone mineral content by dual energy x-ray absorptiometry: development of the method, and its application in normal volunteers and in patients with rheumatoid arthritis, **685**
Dyslipoproteinaemia, Dyslipoproteinaemia in a subset of patients with rheumatoid arthritis: *correspondence*, **551**
Dyspareunia, Obstetric and gynaecological profile in patients with primary Sjögren's syndrome, **569**

Editorial activity and performance, The *Annals* editorial activity and performance for 1993, **633**
Education levels, Sociodemographic factors and the outcome of rheumatoid arthritis in young women, **803**
Ehlers-Danlos syndrome, Osteoporosis and Ehlers-Danlos syndrome: *correspondence*, **212**, **841**
Elderly, Musculoskeletal disorders and disability in persons aged 85 and over, **807**
Electrophoresis, Vertebral osteoporosis - the importance of serum and urine electrophoresis: *lesson of the month*, **147**: *matters arising*, **619**
Endothelial cells, Antibodies to endothelial cells in Behçet's disease: cell-binding heterogeneity and association with clinical activity, **265**
Endothelin-1, Increased endothelin-1 production in fibroblasts derived from patients with systemic sclerosis, **506**
Eosinophilic fasciitis, Eosinophilic fasciitis in a father and son: *correspondence*, **281**
Eosinophilic synovitis, Massive eosinophilic synovitis and reactive arthritis associated with filarial infection: *correspondence*, **281**
Extracellular matrix, Cartilage collagens: strategies for the study of their organisation and expression in the extracellular matrix: *review*, **488**

Fall characteristics, Age and sex influences on fall characteristics, **773**
Fcγ receptors, Role of Fcγ receptors in the activation of neutrophils by soluble and insoluble immunoglobulin aggregates isolated from the synovial fluid of patients with rheumatoid arthritis, **515**
Felty's syndrome, Liver disease in twins with Felty's syndrome: *masterclass*, **202**
Fertility, Obstetric and gynaecological profile in patients with primary Sjögren's syndrome, **569**
Fever, Fever as an unusual presentation of a common condition: lesson of the month, **711**
Fever of unknown origin, Fever of unknown origin in childhood: difficulties in diagnosis: *masterclass*, **429**
Fibroblast growth factor, Expression of basic fibroblast growth factor in synovial tissues from patients with rheumatoid arthritis: detection by immunohistological staining and in situ hybridisation, **45**

Fibroblasts
Increased endothelin-1 production in fibroblasts derived from patients with systemic sclerosis, **506**
The effects of Tenidap on cytokine induced proliferation of human synovial fibroblasts in vitro, **250**
Fibromyalgia, Fibromyalgia in the workplace: *matters arising*, **285**
Filaments, Antibodies to intermediate filaments in polymyalgia rheumatica/giant cell arteritis: do they reflect the underlying disease activity rather than the acute phase response? *correspondence*, **150**
Filarial infection, Massive eosinophilic synovitis and reactive arthritis associated with filarial infection: *correspondence*, **281**
Filgrastim, G-CSF in gold-induced aplastic anaemia: *matters arising*, **213**
FK506, Central nervous system toxicity related to FK506 in patients with Behçet's disease: *correspondence*, **350**
Fluorescent light, Fluorescent light activates the immunomodulator *cis*-urocanic acid in vitro: implications for patients with systemic lupus erythematosus, **396**
Forearm anatomical cross-sectional area, Relationship between weakness and muscle wasting in rheumatoid arthritis, **726**
Fracture, Parasymphyseal insufficiency fracture, **421**

Genetic anticipation
Does genetic anticipation occur in familial rheumatoid arthritis?, **833**
Genetic anticipation and musculoskeletal disease: *leader*, **787**
Genetic aspects, Genetic aspects of familial osteoarthritis: *review*, **789**
Giant cell arteritis
Antibodies to intermediate filaments in polymyalgia rheumatica/giant cell arteritis: do they reflect the underlying disease activity rather than the acute phase response? *correspondence*, **150**
Circulating T cell subtypes in polymyalgia rheumatica and giant cell arteritis: variation in the percentage of CD8+ cells with prednisolone treatment: *matters arising*, **283**
Plasma viscosity in giant cell arteritis: *matters arising*, **82**
Glyceryl trinitrate, A controlled trial of the effect of topical glyceryl trinitrate on skin blood flow and skin elasticity in scleroderma: *correspondence*, **212**
Glycosaminoglycans, Glycosaminoglycans of human rotator cuff tendons: changes with age and in chronic rotator cuff tendinitis, **367**
Gold
G-CSF in gold-induced aplastic anaemia: *matters arising*, **213**
Intramuscular gold decreases cytokine expression and macrophage numbers in the rheumatoid synovial membrane, **315**
No effect of intramuscular gold therapy on serological parameters of *Helicobacter pylori* infection in patients with rheumatoid arthritis, **400**
Outcome of second line therapy in rheumatoid arthritis, **812**
Gout, Gout in black South Africans: a clinical and genetic study, **759**
Granulocyte colony stimulating factor, G-CSF in gold-induced aplastic anaemia: *matters arising*, **213**
Growth factors, Responsiveness of articular cartilage from normal and inflamed mouse knee joints to various growth factors, **455**
Gut, The gut as an inductive site for synovial and extra-articular immune responses in rheumatoid arthritis, **377**
Gynaecological profile, Obstetric and gynaecological profile in patients with primary Sjögren's syndrome, **569**

Haem biosynthesis, Abnormal haem biosynthesis in the chronic anaemia of rheumatoid arthritis, **167**
Haemodialysis, Shoulder pain in a patient on haemodialysis, **497**
Hajdu-Cheney syndrome, Hajdu-Cheney syndrome, **276**
Hand, Defining osteoarthritis of the hand for epidemiological studies: The Chingford Study, **220**
Hand bone mineral content, Measurement of hand bone mineral content by dual energy x-ray absorptiometry: development of the method, and its application in normal volunteers and in patients with rheumatoid arthritis, **685**
Heat shock proteins, Arthritogenic potential of the 65kDa stress protein - an experimental model, **197**
Heel pain, Heel pain, **344**
Helicobacter pylori, No effect of intramuscular gold therapy on serological parameters of *Helicobacter pylori* infection in patients with rheumatoid arthritis, **400**
Hepatic hypertrophic osteoarthropathy, Hepatic hypertrophic osteoarthropathy and liver transplantation, **338**: *matters arising*, **840**
Hepatitis B virus, Treatment of polyarteritis nodosa related to hepatitis B virus with interferon-alpha and plasma exchanges, **334**

Hidradenitis suppurativa, Arthritis associated with hidradenitis suppurativa, **64**
Hip fracture, Age and sex influences on fall characteristics, **773**
HIV-1, Polymerase chain reaction fails to incriminate exogenous retroviruses HTLV-I and HIV-1 in rheumatological diseases although a minority of sera cross react with retroviral antigens, **749**
HLA
Analysis of the MHC class II encoded components of the HLA class I antigen processing pathway in ankylosing spondylitis, **58**
HLA antigens in Japanese patients with high titre anti-ribonucleoprotein antibodies: *correspondence*, **426**
HLA class II and T-cell receptor β chain polymorphisms in Belgian patients with rheumatoid arthritis: no evidence for disease association with the TCRBC2, TCRBV8 and TCRBV11 polymorphisms, **580**
HLA nomenclature: a user-friendly system? *leader*, **153**
HLA-B alleles and complotypes, HLA-B alleles and complotypes in Mexican patients with seronegative spondyloarthropathies, **755**
HLA-B14, Gout in black South Africans: a clinical and genetic study, **759**
HLA-DP, HLA-DP does not contribute towards susceptibility to systemic lupus erythematosus, **188**
HLA-DRB1, Rheumatoid-susceptible alleles of HLA-DRB1 are genetically recessive to non-susceptible alleles in the progression of bone destruction in the wrists and fingers of patients with RA, **587**
Hormone replacement therapy
Effects of hormone replacement therapy in rheumatoid arthritis, **54**
Randomised controlled trial of the effect of hormone replacement therapy on disease activity in postmenopausal rheumatoid arthritis, **112**
Human T cell lymphotrophic virus
Polymerase chain reaction fails to incriminate exogenous retroviruses HTLV-I and HIV-1 in rheumatological diseases although a minority of sera cross react with retroviral antigens, **749**
Treatment of patients with polyarthritis and anti-HTLV-I antibodies with interferon-alpha: *correspondence*, **80**
Humoral immune response, Humoral immune response against minor collagens type IX and XI in patients with cartilage graft resorption after reconstructive surgery, **229**
Hyaluronan, Intra-articular injections of 750 kD hyaluronan in the treatment of osteoarthritis: a randomised single centre double-blind placebo-controlled trial of 91 patients demonstrating lack of efficacy, **529**
Hyperprolactinaemia, Hyperprolactinaemia in primary Sjögren's syndrome: *correspondence*, **425**
Hypogammaglobulinaemia, Mycoplasmas and ureaplasmas in patients with hypogammaglobulinaemia and their role in arthritis: microbiological observations over twenty years, **183**
Hypoxanthine guanine phosphoribosyl transferase, Increased frequency of in vivo *hprt* gene-mutated T cells in the peripheral blood of patients with systemic sclerosis, **122**

Iceland, Systemic sclerosis in Iceland, **502**
Immune responses, The gut as an inductive site for synovial and extra-articular immune responses in rheumatoid arthritis, **377**
Immunoblotting, Immunoblotting detection of so-called 'antikeratin antibodies': a new assay for the diagnosis of rheumatoid arthritis, **735**
Immunoglobulin A antibodies, Increased IgA antibodies to cytokeratins in the spondyloarthropathies, **391**
Immunoglobulins
Calcitonin inhibits production of immunoglobulins, rheumatoid factor and interleukin-1 by mononuclear cells from patients with rheumatoid arthritis, **247**
Low molecular weight IgM and CD5B lymphocytes in rheumatoid arthritis, **383**
Role of Fcgamma receptors in the activation of neutrophils by soluble and insoluble immunoglobulin aggregates isolated from the synovial fluid of patients with rheumatoid arthritis, **515**
Immunohistochemical markers, Immunohistochemical markers for arthritis in psoriasis, **450**
Infection, Infection rate and use of antibiotics in patients with rheumatoid arthritis treated with methotrexate, **224**
Inflammation
Altered Ca2+ signalling in human neutrophils from inflammatory sites, **446**
Effect of three animal models of inflammation on nerve fibres in the synovium, **240**
Inflammatory arthritides, Increased serum proMMP-3 in inflammatory arthritides: a potential indicator of synovial inflammatory monokine activity, **768**
Insulin-like growth factor-I, Effects of interleukin-1β on insulin-like growth factor-I autocrine/paracrine axis in cultured rat articular chondrocytes, **128**
Interferon-alpha
Treatment of patients with polyarthritis and anti-HTLV-I antibodies with interferon-alpha: *correspondence*, **80**
Treatment of polyarteritis nodosa related to hepatitis B virus with interferon-alpha and plasma exchanges, **334**
Interferon-gamma, Increased mitogenic activity of scleroderma serum: inhibitory effect of human recombinant interferon-gamma, **776**
Interleukin-1
Calcitonin inhibits production of immunoglobulins, rheumatoid factor and interleukin-1 by mononuclear cells from patients with rheumatoid arthritis, **247**
In vivo protection against interleukin-1-induced articular cartilage damage by transforming growth factor-β: age-related differences, **593**
Interleukin-1β
Effects of interleukin-1β on insulin-like growth factor-I autocrine/paracrine axis in cultured rat articular chondrocytes, **128**
Interleukin 1 beta, hand and foot bone mineral content and the development of joint erosions in rheumatoid arthritis, **543**
Interleukin-2, Changes in levels of soluble T-cell activation markers, sIL-2R, sCD4 and sCD8, in relation to disease exacerbations in patients with systemic lupus erythematosus, **235**
Interleukin-4, Interleukin 4 increases human synovial cell expression of VCAM-1 and T cell binding, **601**
Interleukin-6
Circadian rhythm of serum interleukin-6 in rheumatoid arthritis, **521**
Interleukin-6, acute phase reactants and clinical status in ankylosing spondylitis: *correspondence*, **425**
Ischaemia
Anticardiolipin, anticentromere and anti-Scl-70 antibodies in patients with systemic sclerosis and severe digital ischaemia, **540**
Critical tissue ischaemia in scleroderma: a note of caution: *leader*, **289**
Vasculitis in patients with systemic sclerosis and severe digital ischaemia requiring amputation, **323**
Isospora belli, *Isospora belli* reactive arthritis in a patient with AIDS: *correspondence*, **618**

Joint erosion
Interleukin 1 beta, hand and foot bone mineral content and the development of joint erosions in rheumatoid arthritis, **543**
Synovial tissue macrophages and joint erosion in rheumatoid arthritis, **39**
Joint fluid, Release of cartilage oligomeric matrix protein (COMP) into joint fluid after knee injury and in osteoarthritis, **8**
Joint inflammation
Arthritogenic potential of the 65kDa stress protein - an experimental model, **197**
Immunochemical markers of joint inflammation, skeletal damage and repair: where are we now? *leader*, **3**
Joint inflammation is reduced by dorsal rhizotomy and not by sympathectomy or spinal cord transection, **309**
Joint movement range, Utilisation of joint movement range in arboreal primates compared with human subjects: an evolutionary frame for primary osteoarthritis, **720**
Juvenile chronic arthritis
Antiperinuclear and anti-RA33 antibodies in juvenile chronic arthritis: *matters arising*, **282**
Fever of unknown origin in childhood: difficulties in diagnosis: *masterclass*, **429**
Increased frequency of TAP2B in early onset pauciarticular juvenile chronic arthritis, **261**
Juvenile rheumatoid arthritis, Serial measurements of soluble interleukin 2 receptor levels (sIL2-R) in children with juvenile rheumatoid arthritis treated with oral methotrexate, **471**

65 kDa stress protein, Arthritogenic potential of the 65kDa stress protein - an experimental model, **197**
Knee
Cartilage metabolism in the injured and uninjured knee of the same patient, **823**
Incidence and progression of osteoarthritis in women with unilateral knee disease in the general population: the effect of obesity, **565**
Occupational activity and osteoarthritis of the knee, **90**
Release of cartilage oligomeric matrix protein (COMP) into joint fluid after knee injury and in osteoarthritis, **8**
Knee joint
Is tibiofemoral osteoarthritis in the knee joint a new disease?, **612**

Responsiveness of articular cartilage from normal and inflamed mouse knee joints to various growth factors, **455**

Labial salivary glands
Collagenase in Sjögren's syndrome, **836**
Labial salivary gland biopsy assessment in rheumatoid vasculitis, **648**
Laminin, Anti-laminin autoantibodies in collagen vascular diseases: the use of adequate controls in studies of autoimmune responses to laminin, **191**
Lateral epicondylitis, Rotator cuff degeneration and lateral epicondylitis: a comparative histological study, **30**
Lewis rats, Arthritis in Lewis rats induced by the non-immunogenic adjuvant CP20961: an immunohistochemical analysis of the developing disease, **653**
Ligamentum teres, Enthesitis of the ligamentum teres during ankylosing spondylitis: histopathological report: *matters arising*, **82**
Lipoprotein (a), High lipoprotein (a) levels as a thrombogenic risk factor in Behçet's disease: *correspondence*, **351**
Liver disease, Liver disease in twins with Felty's syndrome: *masterclass*, **202**
Liver transplantation, Hepatic hypertrophic osteoarthropathy and liver transplantation, **338**: *matters arising*, **840**
LMP genes, Analysis of the MHC class II encoded components of the HLA class I antigen processing pathway in ankylosing spondylitis, **58**
Low molecular weight IgM, Low molecular weight IgM and CD5B lymphocytes in rheumatoid arthritis, **383**
Lupus anticoagulant, Absence of an association between antibodies to retroviral proteins and anticardiolipin antibody and/or lupus anticoagulant in systemic lupus erythematosus: *correspondence*, **352**
Lyme arthritis, Lyme arthritis: *leader*, **553**
Lymphocyte subsets, Blood lymphocyte subsets in rats with adjuvant arthritis, **461**
Lymphocytes, Lymphocyte responses to DR1/4 restricted peptides in rheumatoid arthritis, **171**

Macrophage numbers, Intramuscular gold decreases cytokine expression and macrophage numbers in the rheumatoid synovial membrane, **315**
Manchester, Low prevalence of rheumatoid arthritis in Black-Caribbeans compared with Whites in inner city Manchester, **293**
Markers, Immunochemical markers of joint inflammation, skeletal damage and repair: where are we now? *leader*, **3**
Matrix metalloproteinase, Collagenase in Sjögren's syndrome, **836**
Methacholine, Bronchial reactivity and airflow obstruction in rheumatoid arthritis, **511**
Methotrexate
Acute diffuse muscular pain following initiation of methotrexate therapy: *correspondence*, **478**
Augmented expression of inflammatory cytokines and adhesion molecules in accelerated nodulosis during methotrexate therapy: *correspondence*, **480**
Combination therapy with methotrexate and sulphasalazine in rheumatoid arthritis - tolerance of therapy: *correspondence*, **703**
Infection rate and use of antibiotics in patients with rheumatoid arthritis treated with methotrexate, **224**
Intraindividual variability of the bioavailability of low dose methotrexate after oral administration in rheumatoid arthritis, **475**
Methotrexate-related pulmonary complications in patients with rheumatoid arthritis: cluster of five cases in a period of three months: *correspondence*, **479**
Methotrexate-related pulmonary complications in rheumatoid arthritis: *review*, **434**
Microheterogeneity of alpha 1-acid glycoprotein in patients with rheumatoid arthritis treated with methotrexate: *correspondence*, **480**
Serial measurements of soluble interleukin 2 receptor levels (sIL2-R) in children with juvenile rheumatoid arthritis treated with oral methotrexate, **471**
Mexican patients, HLA-B alleles and complotypes in Mexican patients with seronegative spondyloarthropathies, **755**
Microcirculation, Microcirculation in ankylosing spondylitis: *matters arising*, **284**
Milk product deprivation, Effect of milk product deprivation on spondyloarthropathy: *correspondence*, **481**
Mitogenic activity, Increased mitogenic activity of scleroderma serum: inhibitory effect of human recombinant interferon-gamma, **776**
Mixed connective tissue disease, A case of mixed connective tissue disease combined with sarcoidosis: *correspondence*, **151**
MMP (matrix metalloproteinase), Collagenase in Sjögren's syndrome, **836**
Molybdenum, Hypersensitivity to molybdenum as a possible trigger of ANA-negative systemic lupus erythematosus, **403**
Monoarthralgia, Teenage monoarthralgia, **561**
Monokine activity, Increased serum proMMP-3 in inflammatory arthritides: a potential indicator of synovial inflammatory monokine activity, **768**
Mononuclear cells, Calcitonin inhibits production of immunoglobulins, rheumatoid factor and interleukin-1 by mononuclear cells from patients with rheumatoid arthritis, **247**
Muscle biopsy, Muscle biopsy abnormalities in systemic lupus erythematosus: correlation with clinical and laboratory parameters, **178**
Muscle wasting, Relationship between weakness and muscle wasting in rheumatoid arthritis, **726**
Muscular pain, Acute diffuse muscular pain following initiation of methotrexate therapy: *correspondence*, **478**
Musculoskeletal disorders
Genetic anticipation and musculoskeletal disease: *leader*, **787**
Musculoskeletal disorders and disability in persons aged 85 and over, **807**
Mycobacterium tuberculosis
Absence of *Mycobacterium tuberculosis* DNA in synovial fluid from patients with rheumatoid arthritis, **695**
Arthritogenic potential of the 65kDa stress protein - an experimental model, **197**
Mycoplasmas, Mycoplasmas and ureaplasmas in patients with hypogammaglobulinaemia and their role in arthritis: microbiological observations over twenty years, **183**
Myeloperoxidase
Anti-myeloperoxidase antibodies in patients with rheumatoid arthritis: prevalence, clinical correlates, and IgG subclass, **24**
Brother and sister with myeloperoxidase associated autoimmune disease: *matters arising*, **213**
Silicon nephropathy and myeloperoxidase antibodies: *matters arising*, **781**
Myoadenylate deaminase deficiency, New method for detection of C34-T mutation in the AMPD1 gene causing myoadenylate deaminase deficiency: *correspondence*, **353**

Natural killer cells, Recurrent infections, pericarditis and renal disease in a patient with total C2 deficiency and decreased NK cell function consistent with acute rheumatic fever and systemic lupus erythematosus: *correspondence*, **280**
Neopterin, Urine neopterin: a new parameter for serial monitoring of disease activity in patients with systemic lupus erythematosus, **743**
Nephrotic syndrome, Remission of nephrotic syndrome in a patient with renal amyloidosis associated with Takayasu's arteritis after treatment with dimethylsulphoxide: *correspondence*, **842**
Neurological disturbances, Neurological disturbances in ankylosing spondylitis, **714**
Neuropathy, Nervous system involvement in association with vasculitis and anticardiolipin antibodies in a patient with systemic sclerosis: *correspondence*, **349**
Neuropsychiatric-SLE
Cerebellum and brainstem vasculopathy in systemic lupus erythematosus, **327**
Lymphocyte and neuronal antigens in neuropsychiatric lupus: presence of an elutable, immunoprecipitable lymphocyte/neuronal 52 kd reactivity, **304**
Neuropsychological analysis, Neuropsychological analysis in patients with systemic lupus erythematosus: *correspondence*, **478**
Neutrophils
Altered Ca2+ signalling in human neutrophils from inflammatory sites, **446**
Role of Fcγ receptors in the activation of neutrophils by soluble and insoluble immunoglobulin aggregates isolated from the synovial fluid of patients with rheumatoid arthritis, **515**
Nitrate excretion, Increased urinary nitrate excretion in rats with adjuvant arthritis, **547**
Nodulosis, Augmented expression of inflammatory cytokines and adhesion molecules in accelerated nodulosis during methotrexate therapy: *correspondence*, **480**
Non-steroidal anti-inflammatory drugs
Bone turnover in non-steroid treated rheumatoid arthritis, **163**
Long term follow up of spinal trabecular bone mineral density in women with non-steroid treated rheumatoid arthritis: *correspondence*, **149**
North Pole, Is walking to the North Pole good for you? *correspondence*, **703**
Notes and news, **6**, **87**, **155**, **218**, **291**, **444**, **501**, **564**, **633**, **718**, **801**

Obesity, Incidence and progression of osteoarthritis in women with unilateral knee disease in the general population: the effect of obesity, **565**
Obstetric profile, Obstetric and gynaecological profile in patients with primary Sjögren's syndrome, **569**
Occupational activity, Occupational activity and osteoarthritis of the knee, **90**
Ocular involvement, The European Community Study Group on Diagnostic Criteria for Sjögren's Syndrome. Sensitivity and specificity of tests for ocular and oral involvement in Sjögren's syndrome, **637**
Oligoarthritis, *Chlamydia pneumoniae* - a new causative agent of reactive arthritis and undifferentiated oligoarthritis, **100**
Oral and genital ulceration, Clinical experience with thalidomide in the management of severe oral and genital ulceration in conditions such as Behçet's disease: use of neurophysiological studies to detect thalidomide neuropathy, **828**
Oral desensitisation, Oral desensitisation in rheumatoid arthritis: *leader*, **708**
Oral involvement, The European Community Study Group on Diagnostic Criteria for Sjögren's Syndrome. Sensitivity and specificity of tests for ocular and oral involvement in Sjögren's syndrome, **637**
Organ solvents, Systemic sclerosis and organic solvents: early diagnosis in industry: *correspondence*, **618**
Osteoarthritis
Animal models for osteoarthritis: *review*, **406**
Defining osteoarthritis of the hand for epidemiological studies: The Chingford Study, **220**
Distinction between initiation and progression of the osteoarthritis process: *matters arising*, **356**
Genetic aspects of familial osteoarthritis: *review*, **789**
Incidence and progression of osteoarthritis in women with unilateral knee disease in the general population: the effect of obesity, **565**
Intra-articular injections of 750 kD hyaluronan in the treatment of osteoarthritis: a randomised single centre double-blind placebo-controlled trial of 91 patients demonstrating lack of efficacy, **529**
Is tibiofemoral osteoarthritis in the knee joint a new disease?, **612**
Methodological problems in the epidemiological study of osteoarthritis: *review*, **143**
Occupational activity and osteoarthritis of the knee, **90**
Osteoarthritis revisited and revived: *leader*, **85**
Quantitative radiography of osteoarthritis: *review*, **268**
Relationship between osteoarthritis and osteoporosis in the general population: the Chingford study, **158**
Release of cartilage oligomeric matrix protein (COMP) into joint fluid after knee injury and in osteoarthritis, **8**
Skeletal development and osteoarthritis: *review*, **624**
Submicroscopic crystals in osteoarthritic synovial fluids, **467**
Utilisation of joint movement range in arboreal primates compared with human subjects: an evolutionary frame for primary osteoarthritis, **720**
Osteoarthropathy, Hepatic hypertrophic osteoarthropathy and liver transplantation, **338**: *matters arising*, **840**
Osteoid osteoma, Teenage monoarthralgia, **561**
Osteonecrosis, Idiopathic osteonecrosis of the hip in twins: *correspondence*, **702**
Osteoporosis
Bence-Jones protein and vertebral osteoporosis: *matters arising*, **619**
Osteoporosis and Ehlers-Danlos syndrome: *correspondence*, **212, 841**
Relationship between osteoarthritis and osteoporosis in the general population: the Chingford study, **158**
Vertebral osteoporosis - the importance of serum and urine electrophoresis: *lesson of the month*, **147**: *matters arising*, **619**
Outcome
Predicting outcome in current clinic attenders: a biased view: *leader*, **357**
Outcome of second line therapy in rheumatoid arthritis, **812**

Palm of the hand, Dactylitis also involving the synovial sheaths in the palm of the hand: *correspondence*, **783**
Parasymphyseal insufficiency fracture, Parasymphyseal insufficiency fracture, **421**
Parity, Obstetric and gynaecological profile in patients with primary Sjögren's syndrome, **569**
Parvovirus B19
Does parvovirus B19 have a role in rheumatoid arthritis?, **106**
Influence of previous exposure to human parvovirus B19 infection in explaining susceptibility to rheumatoid arthritis: an analysis of disease discordant twin pairs, **137**
Penicillamine
A Western blot approach to detection of human plasma protein conjugates derived from D-penicillamine, **256**
Outcome of second line therapy in rheumatoid arthritis, **812**
Peptides, Oral desensitisation in rheumatoid arthritis: *leader*, **708**
Perimenopausal women, Decreased axial bone mineral density in perimenopausal women with rheumatoid arthritis - a population based study, **18**
Photosensitivity, Recognising photosensitivity: *leader*, **705**
Physical treatments, Evaluating new physical treatments: *matters arising*, **355**
Plasma exchanges, Treatment of polyarteritis nodosa related to hepatitis B virus with interferon-alpha and plasma exchanges, **334**
Plasma infusions, Reconstitution of the alternative pathway of complement by plasma infusions given to a patient with an SLE-like syndrome associated with a hereditary C3 dysfunction, **691**
Plasma viscosity, Plasma viscosity in giant cell arteritis: *matters arising*, **82**
Polyarteritis nodosa, Treatment of polyarteritis nodosa related to hepatitis B virus with interferon-alpha and plasma exchanges, **334**
Polyarthritis
Symmetrical polyarthritis is not always rheumatoid: *lesson of the month*, **631**
Treatment of patients with polyarthritis and anti-HTLV-I antibodies with interferon-alpha: *correspondence*, **80**
Polymerase chain reaction, Polymerase chain reaction fails to incriminate exogenous retroviruses HTLV-I and HIV-1 in rheumatological diseases although a minority of sera cross react with retroviral antigens, **749**
Polymyalgia rheumatica
Antibodies to intermediate filaments in polymyalgia rheumatica/giant cell arteritis: do they reflect the underlying disease activity rather than the acute phase response? *correspondence*, **150**
Circulating T cell subtypes in polymyalgia rheumatica and giant cell arteritis: variation in the percentage of CD8+ cells with prednisolone treatment: *matters arising*, **283**
Long term treatment of polymyalgia rheumatica with deflazacort, **331**
The Cambridge dilemma: *matters arising*, **780**
Postmenopausal rheumatoid arthritis, A randomised controlled trial of the effect of hormone replacement therapy on disease activity in postmenopausal rheumatoid arthritis, **112**
Postmortem angiography, Postmortem angiographic study of degenerative vascular changes in arteries supplying the cervicobrachial region, **94**
proMMP-3, Increased serum proMMP-3 in inflammatory arthritides: a potential indicator of synovial inflammatory monokine activity, **768**
Protein C deficiency, Superficial migratory thrombophlebitis in a patient with reversible protein C deficiency and anticardiolipin antibodies: *correspondence*, **843**
Protein conjugates, A Western blot approach to detection of human plasma protein conjugates derived from D-penicillamine, **256**
Pseudoarthrosis, Pseudoarthrosis in ankylosing spondylitis, **206**
Psoriasis, Immunohistochemical markers for arthritis in psoriasis, **450**
Psoriatic arthritis, Immunohistochemical markers for arthritis in psoriasis, **450**
Psychiatric disorder
Lymphocyte and neuronal antigens in neuropsychiatric lupus: presence of an elutable, immunoprecipitable lymphocyte/neuronal 52 kd reactivity, **304**
Prospective study of psychiatric disorder and cognitive function in systemic lupus erythematosus, **298**
Pulmonary complications
Methotrexate-related pulmonary complications in patients with rheumatoid arthritis: cluster of five cases in a period of three months: *correspondence*, **479**
Methotrexate-related pulmonary complications in rheumatoid arthritis: *review*, **434**
Pulmonary emboli, Fever as an unusual presentation of a common condition: *lesson of the month*, **711**
Pulmonary lesion, Persistent pulmonary lesion in a patient with rheumatoid arthritis: *lesson of the month*, **798**
Purine enzymes, Purine enzymes in rheumatoid arthritis: possible association with response to azathioprine, **608**
Pyridinium crosslinks, Excretion of pyridinium crosslinks correlates with disease activity and appendicular bone loss in early rheumatoid arthritis, **14**

Race-specific incidence, Clinical features and race-specific incidence/prevalence rates of systemic lupus erythematosus in a geographically complete cohort of patients, **675**
Raynaud's phenomenon, Critical tissue ischaemia in scleroderma: a note of caution: *leader*, **289**

Reactive arthritis
Chlamydia pneumoniae - a new causative agent of reactive arthritis and undifferentiated oligoarthritis, **100**
Isospora belli reactive arthritis in a patient with AIDS: *correspondence*, **618**
Massive eosinophilic synovitis and reactive arthritis associated with filarial infection: *correspondence*, **281**
Yersinia-specific antibodies in serum and synovial fluid in patients with yersinia triggered reactive arthritis, **535**
Renal amyloidosis, Remission of nephrotic syndrome in a patient with renal amyloidosis associated with Takayasu's arteritis after treatment with dimethylsulphoxide: *correspondence*, **842**
Renal function, Deterioration of renal function in a patient with lupus: *masterclass*, **67**
Respiratory abnormalities, Respiratory abnormalities due to craniovertebral junction compression in rheumatoid disease, **134**
Retroviral antigens, Polymerase chain reaction fails to incriminate exogenous retroviruses HTLV-I and HIV-1 in rheumatological diseases although a minority of sera cross react with retroviral antigens, **749**
Retroviral proteins, Absence of an association between antibodies to retroviral proteins and anticardiolipin antibody and/or lupus anticoagulant in systemic lupus erythematosus: *correspondence*, **352**
Rheumatoid factor, Calcitonin inhibits production of immunoglobulins, rheumatoid factor and interleukin-1 by mononuclear cells from patients with rheumatoid arthritis, **247**
Rheumatic fever, Recurrent infections, pericarditis and renal disease in a patient with total C2 deficiency and decreased NK cell function consistent with acute rheumatic fever and systemic lupus erythematosus: *correspondence*, **280**
Rheumatic symptoms, Silicone breast protheses and rheumatic symptoms, **194**
Rheumatoid arthritis
Abnormal haem biosynthesis in the chronic anaemia of rheumatoid arthritis, **167**
Absence of *Mycobacterium tuberculosis* DNA in synovial fluid from patients with rheumatoid arthritis, **695**
Adhesion molecules in rheumatoid arthritis: role in the pathogenesis and prospects for therapy: *leader*, **287**
Anti-myeloperoxidase antibodies in patients with rheumatoid arthritis: prevalence, clinical correlates, and IgG subclass, **24**
Bone mineral density in nonsteroid treated early rheumatoid arthritis, **681**
Bone turnover in non-steroid treated rheumatoid arthritis, **163**
Bronchial reactivity and airflow obstruction in rheumatoid arthritis, **511**
Calcitonin inhibits production of immunoglobulins, rheumatoid factor and interleukin-1 by mononuclear cells from patients with rheumatoid arthritis, **247**
Cervical neuropathology in rheumatoid arthritis: *matters arising*, **284**
Chronic arthritis before 1876: early British cases suggesting rheumatoid arthritis, **557**
Circadian rhythm of serum interleukin-6 in rheumatoid arthritis, **521**
Combination therapy with methotrexate and sulphasalazine in rheumatoid arthritis - tolerance of therapy: *correspondence*, **703**
Debrisoquine oxidation polymorphism in patients with rheumatoid arthritis: *correspondence*, **211**
Decreased axial bone mineral density in perimenopausal women with rheumatoid arthritis - a population based study, **18**
Does genetic anticipation occur in familial rheumatoid arthritis?, **833**
Does parvovirus B19 have a role in rheumatoid arthritis?, **106**
Dyslipoproteinaemia in a subset of patients with rheumatoid arthritis: *correspondence*, **551**
Effects of hormone replacement therapy in rheumatoid arthritis: a double blind placebo-controlled study, **54**
Excretion of pyridinium crosslinks correlates with disease activity and appendicular bone loss in early rheumatoid arthritis, **14**
Expression of basic fibroblast growth factor in synovial tissues from patients with rheumatoid arthritis: detection by immunohistological staining and in situ hybridisation, **45**
Genetic anticipation and musculoskeletal disease: *leader*, **787**
HLA class II and T-cell receptor β chain polymorphisms in Belgian patients with rheumatoid arthritis: no evidence for disease association with the TCRBC2, TCRBV8 and TCRBV11 polymorphisms, **580**
Immunoblotting detection of so-called 'antikeratin antibodies': a new assay for the diagnosis of rheumatoid arthritis, **735**
Increment of CD8S6F1 cells in synovial fluid from patients with rheumatoid arthritis, **816**
Infection rate and use of antibiotics in patients with rheumatoid arthritis treated with methotrexate, **224**
Influence of previous exposure to human parvovirus B19 infection in explaining susceptibility to rheumatoid arthritis: an analysis of disease discordant twin pairs, **137**
Interleukin 1 beta, hand and foot bone mineral content and the development of joint erosions in rheumatoid arthritis, **543**
Intraindividual variability of the bioavailability of low dose methotrexate after oral administration in rheumatoid arthritis, **475**
Intramuscular gold decreases cytokine expression and macrophage numbers in the rheumatoid synovial membrane, **315**
Lack of association of T cell receptor Vβ8 polymorphism with rheumatoid arthritis in United Kingdom and Italian white patients, **341**
Long term follow up of spinal trabecular bone mineral density in women with non-steroid treated rheumatoid arthritis: *correspondence*, **149**
Low molecular weight IgM and CD5B lymphocytes in rheumatoid arthritis, **383**
Low prevalence of rheumatoid arthritis in Black-Caribbeans compared with Whites in inner city Manchester, **293**
Lymphocyte responses to DR1/4 restricted peptides in rheumatoid arthritis, **171**
Measurement of hand bone mineral content by dual energy x-ray absorptiometry: development of the method, and its application in normal volunteers and in patients with rheumatoid arthritis, **685**
Methotrexate-related pulmonary complications in patients with rheumatoid arthritis: cluster of five cases in a period of three months: *correspondence*, **479**
Methotrexate-related pulmonary complications in rheumatoid arthritis: *review*, **434**
Microheterogeneity of alpha 1-acid glycoprotein in patients with rheumatoid arthritis treated with methotrexate: *correspondence*, **480**
No effect of intramuscular gold therapy on serological parameters of *Helicobacter pylori* infection in patients with rheumatoid arthritis, **400**
Oral desensitisation in rheumatoid arthritis: *leader*, **708**
Outcome of second line therapy in rheumatoid arthritis, **812**
Persistent pulmonary lesion in a patient with rheumatoid arthritis: *lesson of the month*, **798**
Purine enzymes in rheumatoid arthritis: possible association with response to azathioprine, **608**
Randomised controlled trial of the effect of hormone replacement therapy on disease activity in postmenopausal rheumatoid arthritis, **112**
Relationship between rheumatoid arthritis and bronchiectasis: *matters arising*, **482**
Relationship between weakness and muscle wasting in rheumatoid arthritis, **726**
Rheumatoid arthritis in black Americans: *matters arising*, **782**
Rheumatoid-susceptible alleles of HLA-DRB1 are genetically recessive to non-susceptible alleles in the progression of bone destruction in the wrists and fingers of patients with RA, **587**
Rice bodies in the pleural aspirate of a patient with rheumatoid arthritis: *correspondence*, **427**
Role of Fcγ receptors in the activation of neutrophils by soluble and insoluble immunoglobulin aggregates isolated from the synovial fluid of patients with rheumatoid arthritis, **515**
Serum antioxidants and risk of rheumatoid arthritis, **51**
Serum transferrin receptors in rheumatoid arthritis, **699**
Sociodemographic factors and the outcome of rheumatoid arthritis in young women, **803**
Symmetrical polyarthritis is not always rheumatoid: *lesson of the month*, **631**
Synovial tissue macrophages and joint erosion in rheumatoid arthritis, **39**
The gut as an inductive site for synovial and extra-articular immune responses in rheumatoid arthritis, **377**
The prospect for cytokine based therapeutic strategies in rheumatoid arthritis: *leader*, **485**: *matters arising*, **840**
The significance of vascular inflammation in rheumatoid arthritis: *leader*, **621**
Thrombin in inflammation and healing: relevance to rheumatoid arthritis: *review*, **72**
von Willebrand factor and vascular injury in rheumatoid arthritis: *correspondence*, **550**
Rheumatoid disease, Respiratory abnormalities due to craniovertebral junction compression in rheumatoid disease, **134**
Rheumatoid nodules, Rheumatoid nodules: *matters arising*, **83**
Rheumatoid vasculitis, Labial salivary gland biopsy assessment in rheumatoid vasculitis, **648**
Rheumatology, Specialist training in rheumatology - the need for a curriculum and assessment: *leader*, **215**
Rice bodies, Rice bodies in the pleural aspirate of a patient with rheumatoid arthritis: *correspondence*, **427**

Right atrial thrombus, Successful treatment of right atrial thrombus in a patient with Behçet's disease: *correspondence*, **550**
Rotator cuff degeneration, Rotator cuff degeneration and lateral epicondylitis: a comparative histological study, **30**
Rotator cuff tendons
Glycosaminoglycans of human rotator cuff tendons: changes with age and in chronic rotator cuff tendinitis, **367**
Tendon degeneration and chronic shoulder pain: changes in the collagen composition of the human rotator cuff tendons in rotator cuff tendinitis, **359**

Sacroiliac joint, Sacroiliac joint sepsis, **440**
Sarcoidosis, A case of mixed connective tissue disease combined with sarcoidosis: *correspondence*, **151**
Scleroderma
An immunogenetic study of familial scleroderma, **614**
Antibodies to nuclear antigens in three patients with scleroderma and asthma: *matters arising*, **841**
Anticardiolipin, anticentromere and anti-Scl-70 antibodies in patients with systemic sclerosis and severe digital ischaemia, **540**
Controlled trial of the effect of topical glyceryl trinitrate on skin blood flow and skin elasticity in scleroderma: *correspondence*, **212**
Critical tissue ischaemia in scleroderma: a note of caution: *leader*, **289**
Frequency and clinical associations of anti-chromo antibodies in connective tissue disease, **666**
Increased endothelin-1 production in fibroblasts derived from pateints with systemic sclerosis, **506**
Increased frequency of in vivo *hprt* gene-mutated T cells in the peripheral blood of patients with systemic sclerosis, **122**
Increased mitogenic activity of scleroderma serum: inhibitory effect of human recombinant interferon-gamma, **776**
Nervous system involvement in association with vasculitis and anticardiolipin antibodies in a patient with systemic sclerosis: *correspondence*, **349**
Phenotypic and functional activation of alveolar macrophages, T lymphocytes and NK cells in patients with systemic sclerosis and primary Sjögren's syndrome, **574**
Plasma TGFβ in systemic sclerosis, **763**
Systemic sclerosis and organic solvents: early diagnosis in industry: *correspondence*, **618**
Systemic sclerosis in Iceland, **502**
Vasculitis in patients with systemic sclerosis and severe digital ischaemia requiring amputation, **323**
Second line therapy, Outcome of second line therapy in rheumatoid arthritis, **812**
Sepsis, Sacroiliac joint sepsis, **440**
Septic arthritis, Mycoplasmas and ureaplasmas in patients with hypogammaglobulinaemia and their role in arthritis: microbiological observations over twenty years, **183**
Sexual activity, Obstetric and gynaecological profile in patients with primary Sjögren's syndrome, **569**
Shoulder pain
Measurement of shoulder related disability, **525**
Shoulder pain in a patient on haemodialysis, **497**
Tendon degeneration and chronic shoulder pain: changes in the collagen composition of the human rotator cuff tendons in rotator cuff tendinitis, **359**
Silicon nephropathy, Silicon nephropathy and myeloperoxidase antibodies: *matters arising*, **781**
Silicone breast protheses, Silicone breast protheses and rheumatic symptoms: a retrospective follow up study, **194**
Sjögren's syndrome
Collagenase in Sjögren's syndrome, **836**
Hyperprolactinaemia in primary Sjögren's syndrome: *correspondence*, **425**
Obstetric and gynaecological profile in patients with primary Sjögren's syndrome, **569**
Phenotypic and functional activation of alveolar macrophages, T lymphocytes and NK cells in patients with systemic sclerosis and primary Sjögren's syndrome, **574**
The European Community Study Group on Diagnostic Criteria for Sjögren's Syndrome. Sensitivity and specificity of tests for ocular and oral involvement in Sjögren's syndrome, **637**
Skeletal damage and repair, Immunochemical markers of joint inflammation, skeletal damage and repair: where are we now? *leader*, **3**
Skeletal development, Skeletal development and osteoarthritis: *review*, **624**
Skin blood flow, A controlled trial of the effect of topical glyceryl trinitrate on skin blood flow and skin elasticity in scleroderma: *correspondence*, **212**
Sociodemographic factors, Sociodemographic factors and the outcome of rheumatoid arthritis in young women, **803**
Soluble interleukin 2 receptor, Serial measurements of soluble interleukin 2 receptor levels (sIL2-R) in children with juvenile rheumatoid arthritis treated with oral methotrexate, **471**
Spondyloarthropathy(ies)
Effect of milk product deprivation on spondyloarthropathy: *correspondence*, **481**
HLA-B alleles and complotypes in Mexican patients with seronegative spondyloarthropathies, **755**
Increased IgA antibodies to cytokeratins in the spondyloarthropathies, **391**
Stamps, Antoni Van Leeuwenhoek (1632-1723), **786**
Stress proteins, Arthritogenic potential of the 65kDa stress protein - an experimental model, **197**
Stromelysin
Cartilage metabolism in the injured and uninjured knee of the same patient, **823**
Increased serum proMMP-3 in inflammatory arthritides: a potential indicator of synovial inflammatory monokine activity, **768**
Submicroscopic crystals, Submicroscopic crystals in osteoarthritic synovial fluids, **467**
Sulphasalazine
Combination therapy with methotrexate and sulphasalazine in rheumatoid arthritis - tolerance of therapy: *correspondence*, **703**
Outcome of second line therapy in rheumatoid arthritis, **812**
Superficial migratory thrombophlebitis, Superficial migratory thrombophlebitis in a patient with reversible protein C deficiency and anticardiolipin antibodies: *correspondence*, **843**
Symmetrical polyarthritis, Symmetrical polyarthritis is not always rheumatoid: *lesson of the month*, **631**
Synovium, synovial
Absence of *Mycobacterium tuberculosis* DNA in synovial fluid from patients with rheumatoid arthritis, **695**
Dactylitis also involving the synovial sheaths in the palm of the hand: *correspondence*, **783**
Effect of three animal models of inflammation on nerve fibres in the synovium, **240**
Expression of basic fibroblast growth factor in synovial tissues from patients with rheumatoid arthritis: detection by immunohistological staining and in situ hybridisation, **45**
Expression of CD44 in normal and rheumatoid synovium and culture synovial fibroblasts, **729**
Increased serum proMMP-3 in inflammatory arthritides: a potential indicator of synovial inflammatory monokine activity, **768**
Increment of CD8S6F1 cells in synovial fluid from patients with rheumatoid arthritis, **816**
Interleukin 4 increases human synovial cell expression of VCAM-1 and T cell binding, **601**
Intramuscular gold decreases cytokine expression and macrophage numbers in the rheumatoid synovial membrane, **315**
Synovial tissue macrophages and joint erosion in rheumatoid arthritis, **39**
Zonal distribution of chondroitin-4-sulphate/dermatan sulphate and chondroitin-6-sulphate in normal and diseased synovium, **35**
Systemic lupus erythematosus
Absence of an association between antibodies to retroviral proteins and anticardiolipin antibody and/or lupus anticoagulant in systemic lupus erythematosus: *correspondence*, **352**
Antiphospholipid antibodies (aPL) in systemic lupus erythematosus. Are they specific tools for the diagnosis of aPL syndrome? **140**: *matters arising*, **619**
Autonomic neuropathy in systemic lupus erythematosus: cardiovascular autonomic function assessment, **671**
Cerebellum and brainstem vasculopathy in systemic lupus erythematosus, **327**
Changes in levels of soluble T-cell activation markers, sIL-2R, sCD4 and sCD8, in relation to disease exacerbations in patients with systemic lupus erythematosus, **235**
Clinical features and race-specific incidence/prevalence rates of systemic lupus erythematosus in a geographically complete cohort of patients, **675**
Curing lupus - view from the foothills: *leader*, **785**
Deterioration of renal function in a patient with lupus: *masterclass*, **67**
Fluorescent light activates the immunomodulator *cis*-urocanic acid in vitro: implications for patients with systemic lupus erythematosus, **396**
HLA-DP does not contribute towards susceptibility to systemic lupus erythematosus, **188**
Hypersensitivity to molybdenum as a possible trigger of ANA-negative systemic lupus erythematosus, **403**
Lymphocyte and neuronal antigens in neuropsychiatric lupus: presence of an elutable, immunoprecipitable lymphocyte/neuronal 52 kd reactivity, **304**

Muscle biopsy abnormalities in systemic lupus erythematosus: correlation with clinical and laboratory parameters, **178**
Neuropsychological analysis in patients with systemic lupus erythematosus: *correspondence*, **478**
Polymorphisms of the TAP2 transporter genes in systemic lupus erythematosus, **61**
Prospective study of psychiatric disorder and cognitive function in systemic lupus erythematosus, **298**
Recurrent infections, pericarditis and renal disease in a patient with total C2 deficiency and decreased NK cell function consistent with acute rheumatic fever and systemic lupus erythematosus: *correspondence*, **280**
Significance of anti-entactin antibodies in patients with systemic lupus erythematosus and related disorders, **659**
Urine neopterin: a new parameter for serial monitoring of disease activity in patients with systemic lupus erythematosus, **743**

Systemic lupus erythematosus-like syndrome, Reconstitution of the alternative pathway of complement by plasma infusions given to a patient with an SLE-like syndrome associated with a hereditary C3 dysfunction, **691**

Systemic onset juvenile chronic arthritis, Fever of unknown origin in childhood: difficulties in diagnosis: *masterclass*, **429**

Systemic sclerosis
An immunogenetic study of familial scleroderma, **614**
Antibodies to nuclear antigens in three patients with scleroderma and asthma: *matters arising*, **841**
Anticardiolipin, anticentromere and anti-Scl-70 antibodies in patients with systemic sclerosis and severe digital ischaemia, **540**
Controlled trial of the effect of topical glyceryl trinitrate on skin blood flow and skin elasticity in scleroderma: *correspondence*, **212**
Critical tissue ischaemia in scleroderma: a note of caution: *leader*, **289**
Frequency and clinical associations of anti-chromo antibodies in connective tissue disease, **666**
Increased endothelin-1 production in fibroblasts derived from patients with systemic sclerosis, **506**
Increased frequency of in vivo *hprt* gene-mutated T cells in the peripheral blood of patients with systemic sclerosis, **122**
Increased mitogenic activity of scleroderma serum: inhibitory effect of human recombinant interferon-gamma, **776**
Nervous system involvement in association with vasculitis and anticardiolipin antibodies in a patient with systemic sclerosis: *correspondence*, **349**
Phenotypic and functional activation of alveolar macrophages, T lymphocytes and NK cells in patients with systemic sclerosis and primary Sjögren's syndrome, **574**
Plasma TGFβ in systemic sclerosis, **763**
Systemic sclerosis and organic solvents: early diagnosis in industry: *correspondence*, **618**
Systemic sclerosis in Iceland, **502**
Vasculitis in patients with systemic sclerosis and severe digital ischaemia requiring amputation, **323**

T cells
Arthritis in Lewis rats induced by the non-immunogenic adjuvant CP20961: an immunohistochemical analysis of the developing disease, **653**
Changes in levels of soluble T-cell activation markers, sIL-2R, sCD4 and sCD8, in relation to disease exacerbations in patients with systemic lupus erythematosus, **235**
Circulating T cell subtypes in polymyalgia rheumatica and giant cell arteritis: variation in the percentage of CD8+ cells with prednisolone treatment: *matters arising*, **283**
HLA class II and T-cell receptor β chain polymorphisms in Belgian patients with rheumatoid arthritis: no evidence for disease association with the TCRBC2, TCRBV8 and TCRBV11 polymorphisms, **580**
Increased frequency of in vivo *hprt* gene-mutated T cells in the peripheral blood of patients with systemic sclerosis, **122**
Interleukin 4 increases human synovial cell expression of VCAM-1 and T cell binding, **601**
Lack of association of T cell receptor Vβ8 polymorphism with rheumatoid arthritis in United Kingdom and Italian white patients, **341**

Takayasu's arteritis, Remission of nephrotic syndrome in a patient with renal amyloidosis associated with Takayasu's arteritis after treatment with dimethylsulphoxide: *correspondence*, **842**

TAP2B, Increased frequency of TAP2B in early onset pauciarticular juvenile chronic arthritis, **261**

TAP genes
Analysis of the MHC class II encoded components of the HLA class I antigen processing pathway in ankylosing spondylitis, **58**
Polymorphisms of the TAP2 transporter genes in systemic lupus erythematosus, **61**

Teenage monoarthralgia, Teenage monoarthralgia, **561**

Tendon degeneration, Tendon degeneration and chronic shoulder pain: changes in the collagen composition of the human rotator cuff tendons in rotator cuff tendinitis, **359**

Tendons, Rotator cuff degeneration and lateral epicondylitis: a comparative histological study, **30**

Tenidap, The effects of Tenidap on cytokine induced proliferation of human synovial fibroblasts in vitro, **250**

Thalidomide, Clinical experience with thalidomide in the management of severe oral and genital ulceration in conditions such as Behçet's disease: use of neurophysiological studies to detect thalidomide neuropathy, **828**

Thrombin, Thrombin in inflammation and healing: relevance to rheumatoid arthritis: *review*, **72**

Tibiofemoral osteoarthritis, Is tibiofemoral osteoarthritis in the knee joint a new disease?, **612**

Training, Specialist training in rheumatology - the need for a curriculum and assessment: *leader*, **215**

Transferrin receptors, Serum transferrin receptors in rheumatoid arthritis, **699**

Transforming growth factor-β, Plasma TGFβ in systemic sclerosis, **763**

Transforming growth factor-β1, In vivo protection against interleukin-1-induced articular cartilage damage by transforming growth factor-β1: age-related differences, **593**

Twins
Idiopathic osteonecrosis of the hip in twins: *correspondence*, **702**
Liver disease in twins with Felty's syndrome: *masterclass*, **202**

Ureaplasmas, Mycoplasmas and ureaplasmas in patients with hypogammaglobulinaemia and their role in arthritis: microbiological observations over twenty years, **183**

Urine neopterin, Urine neopterin: a new parameter for serial monitoring of disease activity in patients with systemic lupus erythematosus, **743**

Vascular cell adhesion molecule 1, Interleukin 4 increases human synovial cell expression of VCAM-1 and T cell binding, **601**

Vascular inflammation, The significance of vascular inflammation in rheumatoid arthritis: *leader*, **621**

Vascular injury, von Willebrand factor and vascular injury in rheumatoid arthritis: *correspondence*, **550**

Vasculitis
Critical tissue ischaemia in scleroderma: a note of caution: *leader*, **289**
Labial salivary gland biopsy assessment in rheumatoid vasculitis, **648**
Nervous system involvement in association with vasculitis and anticardiolipin antibodies in a patient with systemic sclerosis: *correspondence*, **349**
Vasculitis in patients with systemic sclerosis and severe digital ischaemia requiring amputation, **323**

Vβ8 polymorphism, Lack of association of T cell receptor Vβ8 polymorphism with rheumatoid arthritis in United Kingdom and Italian white patients, **341**

Vertebral compression fracture, Bone mineral density and vertebral compression fracture rates in ankylosing spondylitis, **117**

Vertebral osteoporosis
Bence-Jones protein and vertebral osteoporosis: *matters arising*, **619**
Vertebral osteoporosis - the importance of serum and urine electrophoresis: *lesson of the month*, **147**: *matters arising*, **619**

von Willebrand factor, von Willebrand factor and vascular injury in rheumatoid arthritis: *correspondence*, **550**

Walking, Is walking to the North Pole good for you? *correspondence*, **703**

Weakness, Relationship between weakness and muscle wasting in rheumatoid arthritis, **726**

Western blot approach, A Western blot approach to detection of human plasma protein conjugates derived from D-penicillamine, **256**

Yersinia-specific antibodies, Yersinia-specific antibodies in serum and synovial fluid in patients with yersinia triggered reactive arthritis, **535**